

Materials Frame, canopy and hardware in brass
Handblown, sandblasted bubble glass cubes

Finishes ● Blackened brass
● Satin brass

Dimensions 28 1/2 in (72.5 cm)W x 5 3/4 in (14.5 cm)D x 5 3/4 in (14.5 cm)H



Weight 20 lbs (9.1 kg)

Packing 40 in (101.5 cm) W x 20 in (51 cm) D x 20 in (51 cm) H
24 lbs (10.8 kg)

Canopy 32 in (81.5 cm) W x 4 1/2 in (11.5 cm) D x 1 in (2.5 cm) H
J-box location at center

Drop height 36 1/2 in (93 cm)H
Custom upon request, not adjustable on site

Lamping 2 x G9 socket
G9 LED bulbs (provided)
4W 2700K
350 lm



Bulb life 25,000 hrs

Dimming 10-100%. Wattage +/- 10%
Lumen Values +/- 5Lms
CRI +/- 5%
Fully tested with LUTRON® DVCL, DVEL

Voltage 120 V/240

Certification UL, CE listed
Damp rated

Handmade in Los Angeles
Hardwired
Assembly required

Materials Frame, canopy and hardware in brass
Hand blown, sandblasted bubble glass cubes

Finishes ● Blackened brass
● Satin brass

Dimensions 5 3/4 in (14.5 cm)W x 5 3/4 in (14.5 cm)D x 28 1/2 in (72.5 cm)H



Weight 15 lbs (7 kg)

Packing 40 in (101.5 cm) W x 20 in (51 cm) D x 20 in (51 cm) H
19 lbs (8.6 kg)

Canopy 4 1/2 in (11.5 cm) W x 4 1/2 in (11.5 cm) D x 1 in (2.5 cm) H
J-box location at center

Drop height 48 in (122 cm) H
Custom upon request, not adjustable on site

Lamping 2 x G9 socket
G9 LED bulbs (provided)
4W 2700K
350 lm



Bulb life 25,000 hrs

Dimming 10-100%. Wattage +/- 10%
Lumen Values +/- 5Lms
CRI +/- 5%
Fully tested with LUTRON® DVCL, DVEL

Voltage 120 V/240

Certification UL, CE listed
Damp rated

Handmade in Los Angeles
Hardwired
Assembly required

Materials Frame, canopy and hardware in brass
Hand blown, sandblasted bubble glass cubes

Finishes ● Blackened brass
● Satin brass

Dimensions 28 1/2 in (72.5 cm)W x 11 1/2 in (29.5 cm)D x 28 1/2 in (72.5 cm)H



Weight 20 lbs (9 kg)

Packing 40 in (101.5 cm) W x 20 in (51 cm) D x 20 in (51 cm) H
22 in (56 cm) W x 22 in (56 cm) D x 22 in (56 cm) H
24 lbs (10.8 kg)

Canopy 32 in (81.5 cm) W x 10 in (25.5 cm) D x 1 in (2.5 cm) H
J-box location at center

Drop height 48 in (122 cm) H
Custom upon request, not adjustable on site

Lamping 4 x G9 socket
G9 LED bulbs (provided)
4W 2700K
350 lm



Bulb life 25,000 hrs

Dimming 10-100%. Wattage +/- 10%
Lumen Values +/- 5Lms
CRI +/- 5%
Fully tested with LUTRON® DVCL, DVEL

Voltage 120 V/240

Certification UL, CE listed
Damp rated

Handmade in Los Angeles
Hardwired
Assembly required