



Materials	Brass or steel with opal sandblasted glass
Dimensions	18 1/2 in (47 cm) W x 20 in (51 cm) D x 6 1/2 in (16.5 cm) H
Weight	4 lbs (1.8 kg)
Packing	30 in (76.2 cm) W x 30 in (76.2 cm) D x 12 in (30.5 cm) H 12 lbs (5.4 kg)
Canopy	4 1/2 in (11.5 cm) W x 4 1/2 in (11.5 cm) D x 4 in (10 cm) H
Drop Height	36 in (91.4 cm) H Custom upon request, adjustable on site
Lamping	1 x G8 socket G8 LED bulb (provided) 4W 2700K 350 lm



Finishes	Shade
	○ Satin white
	● Satin brass
	Frame
	● Satin brass
	● Satin black
	● Chrome



Bulb life	25,000 hrs
Dimming	10-100%. Wattage +/- 10% Lumen Values +/- 5Lms CRI +/- 5% Fully tested with LUTRON® DVCL, DVEL
Voltage	120 V/240
Certification	UL, CE listed Wet rated
	Handmade in Los Angeles Hardwired ADA compliant

Materials	Brass or steel with opal sandblasted glass
Dimensions	18 1/2 in (70 cm) W x 20 1/2 in (53 cm) D x 5 in (13 cm) H
Weight	8 lbs (3.6 kg)
Packing	22 in (55.9 cm) W x 22 in (55.9 cm) D x 16 in (40.6 cm) H 12 lbs (5.4 kg)
Canopy	4 1/2 in (11.5 cm) W x 4 1/2 in (11.5 cm) D x 4 in (10 cm) H
Drop height	36 in (91.4 cm) H Custom upon request, adjustable on site
Lamping	1 x G8 socket G8 LED bulb (provided) 4W 2700K 350 lm



Finishes	Shade
	● Perforated satin brass
	○ Satin white
	Frame
	● Satin brass
	● Blackened brass
	● Chrome



Bulb life	25,000 hrs
Dimming	0-100%. Wattage +/- 10% Lumen Values +/- 5Lms CRI +/- 5% Fully tested with LUTRON® DVCL, DVEL
Voltage	120 V/240
Certification	UL, CE listed Handmade in Los Angeles Hardwired

Materials	Brass with opal sandblasted glass
Dimensions	27 1/2 in (70 cm) W x 27 1/2 in (70 cm) D x 8 in (20.5 cm) H
Weight	12 lbs (5.4 kg)
Packing	30 in (76.2 cm) W x 30 in (76.2 cm) D x 60 in (152.4 cm) H 16 lbs (7.3 kg)
Canopy	4 1/2 in (11.5 cm) W x 4 1/2 in (11.5 cm) D x 4 in (10 cm) H
Drop height	36 in (91.4 cm) H Custom upon request, adjustable on site
Lamping	1 x G8 socket G8 LED bulb (provided) 4W 2700K 350 lm

Finishes	Shade
	● Perforated satin brass
	○ Satin white
	Frame
	● Satin brass
	● Blackened brass
	● Chrome



Bulb life	25,000 hrs
Dimming	0-100%. Wattage +/- 10% Lumen Values +/- 5Lms CRI +/- 5% Fully tested with LUTRON® DVCL, DVEL
Voltage	120 V/240
Certification	UL, CE listed Handmade in Los Angeles Hardwired